



Margrétarhagi
byggt af Bergfestu



Matthíasarhagi
byggt af Bergfestu

Tæki í eldhúsi

Ísskápur	2
Uppþvottavél	2
Bökunarofn	3
Eldhúsvaskur	4
Eldhústæki	5

Kista Byggingarfélag

WHI-ART6602

Mál(H x B x D)	177 x 54 x 54,5 cm
Rúmmál kælis	194L
6th Sense Kælitækni	Já
LED lýsing	Já
Fjöldi hilla í kæli	5 (4 færanlegar)
Fjöldi hilla í hurð	3
Flöskuhilla	Já
Grænmetisskúffa	1
Rúmmál í frysti	79L
Fjöldi skúffa í frysti	3
Orkuflokkur	A++
Orkunotkun á ári	233 kWh/ári
Hljóð	35dB
Frystigeta	3,5 (kg á dag)

Whirlpool
CORPORATION



WHI-WIC3C24PSFE

Þvær borðbúnað fyrir	14
Mál(H x B x D)	82-90 x 59,5 x 57 cm
6th Sense	Já
Fjöldi hitastillinga	4
Power Clean Pro	Já
Sóttthreinsikerfi	Já
LCD Skjár	Já
Fjöldi þvottakerfa	8
Multizone þvottur	Já
Hnífaparaskúffa	Já
Stillanleg hæð á efri gripi	Já
Vatnsflæðivörn	Já
Hraðkerfi	Já (30 mín)
Tímastýrð ræsing	Já (1-24 klst)
Barnalæsing	Já
Þvottahæfni	A
Þurrkgeta	A
Orkuflokkur	A++
Orkunotkun á ári	265 kWh
Hljóð við þvott (dB)	44
Litur	Til innbyggingar



WHI-OKZ96280SPMIX


Innbyggingarmál (hxbxd)	60 x 56 x 55cm
Ofnrými	73L
COOK 3	Já
6TH SENSE eldunartækni	Já
LCD Skjár	Já
Wifi	Nei
Hraðhitun	Já (30-250°C)
Kjöthitamælir	Já
Sjálfhreinsikerfi	Pyrolytic
Undir- og yfirhiti	Já
Heitur blástur	Já
Grill	Já
Pizza kerfi	Já
Halda heitu	Já (65°C)
Ljós í ofni	Já
Hæglökun á hurð	Já
Bökunarskúffur	1
Ofnskúffur	1
Fjöldi grillgrinda	1
Rennibrautir	Nei
Fjöldi glerja í hurð	3
Barnalæsing	Já
Orkuflokkur	A+
Orkunotkun (yfir/undirhita)	0,91kWh
Orkunotkun (Blástur)	0,70kWh
Litur	Stál

Whirlpool
CORPORATION



Frame FR520

Art. no.	FR520F
GTIN	7393069023527
Art. no.	FR520-10
GTIN	7393069023497
Art. no.	FR520NF
GTIN	7393069023589



Cabinet size	60
Overall dimension in mm	566 x 426 x 180
Bowl dim. in mm	520 x 380 x 180
Waste hole dim. in mm	97
Material	EN 1.4301, AISI 304, SS2333
Material thickness in mm	0,9
Gross weight in kg	5.00
Net weight in kg	4.20
Design	Halvor Thorsen/ Martin Krafft

Description

Bowl for inset, under- or flush mount. The firm lines and the rounded corners (R25) gives a modern and harmonious expression. Delivers with overflow, basket waste, and water trap.

OBS! Model for under mount with a smaller rim (10mm) has its own article nr: FR520-10

Optional




Mora Pullout

mora

ANNO 1927

Mora Pullout kitchen mixers are long-established and extremely popular taps. The version shown here has a pull-out hand shower that provides comfort and flexibility and makes kitchen work a breeze. With ESS function as standard, Mora Pullout mixer save large amounts of energy without compromising on user comfort.



- Pull out telescopic hand shower with two spray patterns (normal and rinse)
- ESS (energy saving system)
- Adjustable flow control and temperature limiter
- Eco (energy and water saving aerator)
- Soft PEX[®] hoses with flat end Ø10 mm
- Swivel spout 120°
- Approved non-return valves, EN-Standard EN1717
- Hole diameter Ø34-37 mm



EcoSafe



ESS



Mora Eco

Description
Chrome

MA nr
70 26 95

EAN kod
7391887243134